


August Landings in Louisiana Were 92.1% Below Historical Averages



Louisiana Landings, August 2002-2021 (thousands of pounds, HLSO-weight)




August average for the 2002-2020 period = 5,883,026 pounds

NOAA's Revisions Show Louisiana's August Landings to Be Substantially Underreported the Last Few Years



Louisiana Landings, Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 51.9%

August Landings in Texas Were 5.7% Above Historical Averages



Texas Landings, August 2002-2021 (thousands of pounds, HLSO-weight)




August average for the 2002-2020 period = 7,960,547 pounds

NOAA's Revisions Show Texas's August Landings to Be Substantially Underreported the Last Few Years



Texas Landings, August 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 48.7%

August Landings in Alabama Were 1.0% Below Historical Averages



Alabama Landings, August 2002-2021 (thousands of pounds, HLSO-weight)




August average for the 2002-2009, 2011-2020 period = 1,997,522 pounds

NOAA's Revisions Show Alabama's August Landings to Have Been Massively Underestimated in 2020



Alabama Landings, August 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 21.9%

August Landings on the West Coast of Florida Were 25.7% Below Historical Averages



West Coast of Florida Landings, August 2002-2021 (thousands of pounds, HLSO-weight)




August average for the 2002-2020 period = 343,021 pounds

NOAA's Revisions Show the West Coast of Florida's August Landings to Be Substantially Underreported the Last Few Years



Florida (W.C.) Landings, Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 133.0%

August Landings in Mississippi Were 42.6% Below Historical Averages



Mississippi Landings, August 2002-2021 (thousands of pounds, HLSO-weight)




August average for the 2002-2020 period = 955,442 pounds

NOAA's Revisions Show Mississippi's July Landings to Be Significantly Underreported the Last Few Years



Mississippi Landings, Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 21.7%

August Landings in the Gulf Were 31.5% Below Historical Averages



Gulf Landings, August 2002-2021 (thousands of pounds, HLSO-weight)




August average for the 2002-2020 period = 17,034,432 pounds

NOAA's Revisions Show Gulf of Mexico's August Landings to Be Substantially Underreported the Last Few Years



Gulf of Mexico Landings, Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 45.4%

2021 Landings in Louisiana Are 59.4% Below Historical Averages



Louisiana Landings, January-August 2002-2021 (thousands of pounds, HLSO-weight)




January-August average for the 2002-2020 period = 32,110,832 pounds

NOAA's Revisions Show Louisiana's January to August Landings to Be Substantially Underreported the Last Few Years



Louisiana Landings, Jan.-Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 57.9%

2021 Landings in Texas Are 2.2% Above Historical Averages



Texas Landings, January-August 2002-2021 (thousands of pounds, HLSO-weight)




January-August average for the 2002-2020 period = 21,657,716 pounds

NOAA's Revisions Show Texas's January to August Landings to Be Significantly Underreported the Last Few Years



Texas Landings, Jan.-Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 24.6%

2021 Landings in Alabama Are 19.4% Above Historical Averages



Alabama Landings, January-August 2002-2021 (thousands of pounds, HLSO-weight)




January-August average for the 2002-2020 period = 6,431,316 pounds

NOAA's Revisions Show Alabama's January to August Landings to Be Roughly Accurate Until Last Year



Alabama Landings, Jan.-Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 6.2%

2021 Landings on the West Coast of Florida Are 40.8% Below Historical Averages



West Coast of Florida Landings, January-August 2002-2021 (thousands of pounds, HLSO-weight)




January-August average for the 2002-2020 period = 4,282,353 pounds

NOAA's Revisions Show the West Coast of Florida's Jan.-Aug. Landings to Be Substantially Underreported the Last Few Years



Florida (W.C.) Landings, Jan.-Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 57.9%

2021 Landings in Mississippi Are 52.3% Below Historical Averages



Mississippi Landings, January-August 2002-2021 (thousands of pounds, HLSO-weight)




January-August average for the 2002-2020 period = 4,012,205 pounds

NOAA's Revisions Show Mississippi's January to August Landings to Be Substantially Underreported in 2017-2018



Mississippi Landings, Jan. to Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 31.5%

2021 Landings in the Gulf Are 31.0% Below Historical Averages



Gulf Landings, January-August 2002-2021 (thousands of pounds, HLSO-weight)




January-August average for the 2002-2020 period = 68,493,968 pounds

NOAA's Revisions Show Gulf of Mexico's January to August Landings to Be Substantially Underreported the Last Few Years



Gulf of Mexico Landings, Jan.-Aug. 2017-2020 – Original Compared to Revisions




Increase in Reported Landings Through Revisions, 2017-2020 = 37.7%

Landings in January-August Account for Between 42 and 69 Percent of the Total Louisiana Annual Harvest




Louisiana Landings, 2002-2021 (thousands of pounds, HLSO-weight)



Landings in January-August Account for Between 28 and 64 Percent of the Total Texas Annual Harvest




Texas Landings, 2002-2021 (thousands of pounds, HLSO-weight)



Landings in January-August Account for Between 32 and 72 Percent of the Total Alabama Annual Harvest




Alabama Landings, 2002-2021 (thousands of pounds, HLSO-weight)



Landings in January-August Account for Between 53 and 85 Percent of the Total Annual Harvest on the West Coast of Florida




W.C. Florida Landings, 2002-2021 (thousands of pounds, HLSO-weight)



Landings in January-August Account for Between 31 and 79 Percent of the Total Annual Harvest in Mississippi




Mississippi Landings, 2002-2021 (thousands of pounds, HLSO-weight)




Landings in January-August Account for Between 44 and 66 Percent of the Total Gulf Annual Harvest




Gulf Landings, 2002-2021 (thousands of pounds, HLSO-weight)



August Ex-Vessel Prices 2001-2021 (U15)



August Ex-Vessel Prices 2001-2021 (26-30)



August Ex-Vessel Prices 2001-2021 (41-50)

